

# 350 ICLEAN

MOTORIZATION

**Nr 3 Collector  
motor**

MATERIAL TO VACUUM

**Very fine dust**

FILTER TYPE

**3x Cartridge**

FILTER CLEANING

**Automatic  
Cleaning**

The 350 ICLEAN model is the single-phase 3-motor vacuum cleaner par excellence. Model most appreciated by those who use it in daily work, especially in the field of surface treatment. It proves to be the most efficient single-phase vacuum cleaner in the world for the suction of fine dust, deriving from machines in production such as sanders. Its field of application is not limited to construction, but ranges in many sectors in which fine dust represents a difficult problem for conventional industrial vacuum cleaners.



## Features



CLEANING SYSTEM  
**ICLEAN patented cleaning system**



POWERTOOLS  
**Powertool available**



ASPIRATION  
**Tangential inlet Ø 60mm**



CLEANING SYSTEM  
**ICLEAN patented cleaning system**



FILTRATION  
**3 conductive HEPA + PTFE cartridge filters**



ENGINE  
**3 By-pass motors**



COLLECTION  
**Collection system with 50L tank**

## Technical specifications

Technical data	350 ICLEAN
MATERIAL TO VACUUM	Very fine dust
MOTORIZATION	Nr 3 Collector motor
MARKING	-
POWER	3300 W
VOLTAGE	230 V
FREQUENCY	50 / 60 Hz
AMPERAGE	14,4 A
AIR CONSUMPTION	-
AIRFLOW	510 m3/h
DEPRESSION	230 mBar
MAX DEPRESSION	-
SUCTION INLET	Type B Tang. 60 mm
DIMENSIONS	83x60 h117 cm
WEIGHT	66
COLLECTION SYSTEM	Barrel
COLLECTION CAPACITY	50 L
LONGOPAC	No
ELECTRIC FLOATER	-
FILTER CHAMBER DIAMETER	Ø 460 mm
FILTER TYPE	3x Cartridge
FILTERING MEDIA AND PROPERTIES	HEPA + PTFE
FILTER SURFACE	20.500 cm <sup>2</sup>
FILTER CLEANING	Automatic Cleaning
LIQUID EMPTYING	-
FILTER HEPA	Opzionale - Secondary filters H14 with 99,995% MPPS 0,12 µm
HEPA FILTERING SURFACE	Optional 3x Cartridge ULPA+PTFE 34.500 cm <sup>2</sup>