

BM / WM 375 BASIC



MOTORIZATION

**Nr 3 Collector
motor**

MATERIAL TO VACUUM

Dust and liquids

FILTER TYPE

Star Polyester

FILTER CLEANING

Manual Shaking



Basic BM/WM 375 is the most classic and common single-phase industrial vacuum cleaner. 3 by-pass motors and conventional filtration with pocket or stellar filter. It responds to many non-specific applications in the industrial field and in cases where there are no problems concerning large quantities of dust, especially those of fine granulometry.



Features



ENGINE
3 By-pass motors



LIQUID LEVEL
Magnetic connection (OPTIONAL)



COLLECTION
Separate chip bucket (optional)



FILTRATION
L anti-static polyester star filter

Technical specifications

Technical data	WM 375 BASIC	BM 375 L BASIC	BM 350 M BASIC
MATERIAL TO VACUUM	Dust and liquids	Dust and liquids	Dust and liquids
MOTORIZATION	Nr 3 Collector motor	Nr 3 Collector motor	Nr 3 Collector motor
MARKING	-	-	-
POWER	3300 W	3300 W	3300 W
VOLTAGE	230 V	230 V	230 V
FREQUENCY	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz
AMPERAGE	14,4 A	14,4 A	14,4 A
AIR CONSUMPTION	-	-	-
AIRFLOW	510 m3/h	510 m3/h	510 m3/h
DEPRESSION	230 mBar	230 mBar	230 mBar
MAX DEPRESSION	-	-	-
SUCTION INLET	Type C Cent. 70 mm	Type B Tang. 60 mm	Type B Tang. 60 mm
DIMENSIONS	80x60 h152 cm	80x60 h152 cm	80x60 h152 cm
WEIGHT	67	67	67
COLLECTION SYSTEM	Barrel	Barrel	Barrel
COLLECTION CAPACITY	75 L	75 L	75 L
LONGOPAC	No	No	No
ELECTRIC FLOATER	Optional	Optional	Optional
FILTER CHAMBER DIAMETER	Ø 460mm	Ø 460mm	Ø 460mm
FILTER TYPE	Star Polyester	Star Polyester	Star Polyester
FILTERING MEDIA AND PROPERTIES	L Antistatic	L Antistatic	M Antistatic
FILTER SURFACE	20.000 cm2 - 30.000 cm2 Opt	20.000 cm2 - 30.000 cm2 Opt	20.000 cm2 - 30.000 cm2 Opt
FILTER CLEANING	Manual Shaking	Manual Shaking	Manual Shaking
LIQUID EMPTYING	-	-	-
FILTER HEPA	Optional H13 with 99,95% MPPS 0,12 µm	Optional H13 with 99,95% MPPS 0,12 µm	Optional H13 with 99,95% MPPS 0,12 µm
HEPA FILTERING SURFACE	-	-	-