



# DTX 1500 BASIC

MOTORIZATION

**Centrifugal Fan**

MATERIAL TO VACUUM

**Suspension dust**

FILTER TYPE

**Star Polyester**

FILTER CLEANING


**Manual  
Shaking/SemiAuto  
Optional**

The DTX 1500 BASIC model is a dust extractor equipped with a 2.2 kW centrifugal fan and a polyester stellar filter. It is characterized by high airflow and low vacuum pressure. Suitable for environments where fine airborne dust is present.


## Features



**COLLECTION**  
Collection system with 50L tank



**SAFETY**  
Thermal magnetic circuit breaker



**ENGINE**  
2,2 KW Centrifugal fan



**PULIZIA FILTRO**  
Filtro in poliestere + HEPA  
(opzionale)

## Technical specifications

Technical data	DTX 1500 BASIC
MATERIAL TO VACUUM	Suspension dust
MOTORIZATION	Centrifugal Fan
MARKING	-
POWER	2,2 kW
VOLTAGE	400 V
FREQUENCY	50 Hz
AMPERAGE	6A
AIR CONSUMPTION	-
AIRFLOW	1500 m3/h
DEPRESSION	34 mBar
MAX DEPRESSION	-
SUCTION INLET	Type E Tang. 120mm
DIMENSIONS	80x66 h 168 cm
WEIGHT	85 Kg
COLLECTION SYSTEM	Barrel
COLLECTION CAPACITY	50 L
LONGOPAC	-
ELECTRIC FLOATER	-
FILTER CHAMBER DIAMETER	Ø 460mm
FILTER TYPE	Star Polyester
FILTERING MEDIA AND PROPERTIES	L Antistatic
FILTER SURFACE	30.000 cm2
FILTER CLEANING	Manual Shaking/SemiAuto Optional
LIQUID EMPTYING	-
FILTER HEPA	Optional
HEPA FILTERING SURFACE	-