



# DTX 2300 BASIC

MOTORIZATION

**Centrifugal Fan**

MATERIAL TO VACUUM

**Suspension dust**

FILTER TYPE


**Star Polyester**

FILTER CLEANING

**Manual  
Shaking/SemiAuto  
Optional**

The DTX 2500 BASIC model is a dust extractor equipped with a 5.5 kW centrifugal fan and a polyester stellar filter. It is characterized by high airflow and low vacuum pressure, suitable for environments with fine airborne dust.

## Features



**SAFETY**  
Thermal magnetic circuit breaker



**EMPTYING**  
160 Lt collection system



**PULIZIA FILTRO**  
Filtro in poliestere + HEPA  
(opzionale)



**ENGINE**  
4 KW Centrifugal fan

## Technical specifications

Technical data	DTX 2300 BASIC
MATERIAL TO VACUUM	Suspension dust
MOTORIZATION	Centrifugal Fan
MARKING	-
POWER	4 kW
VOLTAGE	400 V
FREQUENCY	50 Hz
AMPERAGE	8,2A
AIR CONSUMPTION	-
AIRFLOW	2350 m3/h
DEPRESSION	43 mBar
MAX DEPRESSION	-
SUCTION INLET	Type E Tang. 150 mm
DIMENSIONS	91 x 77 x h 200 cm
WEIGHT	120 Kg
COLLECTION SYSTEM	Barrel
COLLECTION CAPACITY	100/160 L
LONGOPAC	-
ELECTRIC FLOATER	-
FILTER CHAMBER DIAMETER	Ø 560 mm
FILTER TYPE	Star Polyester
FILTERING MEDIA AND PROPERTIES	L Antistatic
FILTER SURFACE	50.000 cm <sup>2</sup>
FILTER CLEANING	Manual Shaking/SemiAuto Optional
LIQUID EMPTYING	-
FILTER HEPA	Optional
HEPA FILTERING SURFACE	-