

DTX 2500 BASIC

MOTORIZATION

Centrifugal Fan

MATERIAL TO VACUUM

Suspension dust

FILTER TYPE

Star Polyester

FILTER CLEANING

**Manual
Shaking/SemiAuto
Optional**

The DTX 2500 BASIC model is a dust extractor equipped with a 5.5 kW centrifugal fan and a polyester stellar filter. It is characterized by high airflow and low vacuum pressure, suitable for environments with fine airborne dust.



Features



SAFETY
Thermal magnetic circuit breaker



PULIZIA FILTRO
Filtro in poliestere + HEPA
(opzionale)



ENGINE
4 KW Centrifugal fan



EMPTYING
100 litre collection system

Technical specifications

Technical data	DTX 2500 BASIC
MATERIAL TO VACUUM	Suspension dust
MOTORIZATION	Centrifugal Fan
MARKING	-
POWER	4 kW
VOLTAGE	400 V
FREQUENCY	50 Hz
AMPERAGE	10A
AIR CONSUMPTION	-
AIRFLOW	2500 m3/h
DEPRESSION	43 mBar
MAX DEPRESSION	-
SUCTION INLET	Type E Tang. 150 mm
DIMENSIONS	146 x 84 x h 175 cm
WEIGHT	230 Kg
COLLECTION SYSTEM	Barrel
COLLECTION CAPACITY	100 L
LONGOPAC	-
ELECTRIC FLOATER	-
FILTER CHAMBER DIAMETER	Ø 560 mm
FILTER TYPE	Star Polyester
FILTERING MEDIA AND PROPERTIES	L Antistatic
FILTER SURFACE	50.000 cm2
FILTER CLEANING	Manual Shaking/SemiAuto Optional
LIQUID EMPTYING	-
FILTER HEPA	Optional
HEPA FILTERING SURFACE	-