

# HDC 376 ICLEAN



MOTORIZATION

**Turbine**

MATERIAL TO VACUUM

**Very fine dust**

FILTER TYPE

**3x Cartridge**

FILTER CLEANING

**Automatic  
Cleaning**




High power three-phase vacuum cleaner with ICLEAN automatic filter cleaning system. Ideal for heavy applications or centralized systems.

## Features



EMPTYING  
Collection system with 75L tank



EMPTYING  
Collection system with 100L tank  
or Longopack



INTERCHANGEABLE  
With Longopack continuous bag



CLEANING SYSTEM  
Patented ICLEAN cleaning system



ENGINE  
7,5 KW Turbine



FILTRATION  
HEPA + PTFE conductive  
cartridge filters

## Technical specifications

Technical data	HDC 376 ICLEAN	HDC 376 AIR ICLEAN	HDC 376 ICLEAN+AIR
MATERIAL TO VACUUM	Very fine dust	Very fine dust	Very fine dust
MOTORIZATION	Turbine	Turbine	Turbine
MARKING	-	-	-
POWER	7,5 kW	7,5 kW	7,5 kW
VOLTAGE	400 V 3P+N+E	400 V 3P+N+E	400 V 3P+N+E
FREQUENCY	50 Hz	50 Hz	50 Hz
AMPERAGE	16,8 A	16,8 A	16,8 A
AIR CONSUMPTION	-	-	-
AIRFLOW	700 m3/h	700 m3/h	700 m3/h
DEPRESSION	270 mBar	270 mBar	270 mBar
MAX DEPRESSION	390 mBar	390 mBar	390 mBar
SUCTION INLET	Type D Tang. 90 mm	Type D Tang. 90 mm	Type D Tang. 90 mm
DIMENSIONS	110 x 60 h168 cm	110 x 60 h168 cm	110 x 60 h168 cm
WEIGHT	163 Kg	163 Kg	163 Kg
COLLECTION SYSTEM	Barrel / Longopac®	Barrel / Longopac®	Barrel / Longopac®
COLLECTION CAPACITY	100 L / Longopac®	100 L / Longopac®	100 L / Longopac®
LONGOPAC	Si	Si	Si
ELECTRIC FLOATER	-	-	-
FILTER CHAMBER DIAMETER	Ø 460mm	Ø 460mm	Ø 460mm
FILTER TYPE	3x Cartridge	3x Cartridge	3x Cartridge
FILTERING MEDIA AND PROPERTIES	HEPA + PTFE	HEPA + PTFE	HEPA + PTFE
FILTER SURFACE	60.000 cm2	60.000 cm2	60.000 cm2
FILTER CLEANING	Automatic Cleaning	Automatic - Compressed Air	Automatic - Micro Vibration + Compressed Air
LIQUID EMPTYING	-	-	-
FILTER HEPA	Optional	Optional	Optional
HEPA FILTERING SURFACE	-	-	-