

# HDC B/W155 BASIC



MOTORIZATION

**Turbine**

MATERIAL TO VACUUM

**Dust and liquids**

FILTER TYPE

**Star Polyester**

FILTER CLEANING


**Manual  
Shaking/SemiAuto  
Optional**

The Basic models WT 155 and BT 155 are vacuum cleaners that can be used in all areas of application for the general suction of dust, solids and liquids. Their motorisation with a 5.5 kW side channel turbine makes them reliable models even for continuous services and a safe investment for the daily cleaning services of every company.

## Features



**SAFETY**  
Thermal magnetic circuit breaker



**SAFETY**  
Thermal magnetic circuit breaker



**ENGINE**  
5,5 KW Turbine



**PULIZIA FILTRO**  
Filtro in poliestere + HEPA  
(opzionale)



**EMPTYING**  
100 litre collection system

## Technical specifications

Technical data	HDC B 155 P BASIC	HDC W 155 P BASIC	HDC B 155 S BASIC	HDC W 155 S BASIC
MATERIAL TO VACUUM	Dust and liquids	Dust and liquids	Dust and liquids	Dust and liquids
MOTORIZATION	Turbine	Turbine	Turbine	Turbine
MARKING	-	-	-	-
POWER	5,5 kW	5,5 kW	5,5 kW	5,5 kW
VOLTAGE	400 V 3P+E	400 V 3P+E	400 V 3P+E	400 V 3P+E
FREQUENCY	50 Hz	50 Hz	50 Hz	50 Hz
AMPERAGE	10,4 A	10,4 A	10,4 A	10,4 A
AIR CONSUMPTION	-	-	-	-
AIRFLOW	560 m3/h	560 m3/h	320 m3/h	320 m3/h
DEPRESSION	320 mBar	320 mBar	530 mBar – 50 Hz	530 mBar – 50 Hz
MAX DEPRESSION	250 mBar	250 mBar	450 mBar	450 mBar
SUCTION INLET	Type B Tang. 60 mm	Type C Cent. 70 mm	Type B Tang. 60 mm	Type C Cent. 70 mm
DIMENSIONS	105X60 h151 cm	105X60 h151 cm	105X60 h151 cm	105X60 h151 cm
WEIGHT	150 Kg	150 Kg	150 Kg	150 Kg
COLLECTION SYSTEM	Barrel / Longopac®	Barrel / Longopac®	Barrel / Longopac®	Barrel / Longopac®
COLLECTION CAPACITY	100 L / Longopac®	100 L / Longopac®	100 L / Longopac®	100 L / Longopac®
LONGOPAC	Si	Si	Si	Si
ELECTRIC FLOATER	-	-	-	-
FILTER CHAMBER DIAMETER	Ø 460mm	Ø 460mm	Ø 460mm	Ø 460mm
FILTER TYPE	Star Polyester	Star Polyester	Star Polyester	Star Polyester
FILTERING MEDIA AND PROPERTIES	L Antistatic	L Antistatic	L Antistatic	L Antistatic
FILTER SURFACE	20.000 cm2 - 30.000 cm2 Opt	20.000 cm2 - 30.000 cm2 Opt	20.000 cm2 - 30.000 cm2 Opt	20.000 cm2 - 30.000 cm2 Opt
FILTER CLEANING	Manual Shaking/SemiAuto Optional	Manual Shaking/SemiAuto Optional	Manual Shaking/SemiAuto Optional	Manual Shaking/SemiAuto Optional
LIQUID EMPTYING	-	-	-	-
FILTER HEPA	-	-	-	-
HEPA FILTERING SURFACE	-	-	-	-