



OIL 200

MOTORIZATION

**Nr 3 Collector
motor**

MATERIAL TO VACUUM

Oil and shavings

COLLECTION CAPACITY

**Liquids 200 L /
Solids 35 L**

LIQUID EMPTYING

**Electric PUMP 220
Lt/min**

The OIL 200 is an industrial vacuum designed for the separation of oil and shavings, ideal for mechanical workshops. Equipped with a 200-liter tank and a stainless steel grid basket, it efficiently separates solids from liquids. Liquid emptying is fast and continuous thanks to the integrated submersible pump with a capacity of 220 liters per minute. The automatic stop system halts suction when the maximum level is reached. Complete with a 300µm nylon filter, it ensures additional filtration for optimal performance.

Features



GRID BASKET
Stainless Steel Separator Basket




CLOSURE SEALS
Polyurethane closure seals



DRAIN HOSE
Liquids Drain Hose



FILTER
Safety filter cartridge



ADJUSTABLE FLUID LEVEL
Level adjustable



DOUBLE FLOATING OIL 140 3MP
Automatic System Liquids Management




TANK
Tank with Quick Release



200 LT TANK
Equipped with 200-liter tank



COMPARTMENT
Accessories compartment



OLEOPHOBIC SPONGE
Oleophobic Sponge

Technical specifications

Technical data	OIL 200 3M P	OIL 200 T4 P
MATERIAL TO VACUUM	Oil and shavings	Oil and shavings
MOTORIZATION	Nr 3 Collector motor	Turbine
MARKING	Oil filtration grade - Nylon 300 μ	Oil filtration grade - Nylon 300 μ
POWER	3300 W	4 kW – 50 Hz
VOLTAGE	230 V	400 V - 50 Hz
FREQUENCY	50 / 60 Hz	50 / 60 Hz
AMPERAGE	14,4 A	8,9 A
AIR CONSUMPTION	-	-
AIRFLOW	510 m3/h	320 m3/h 50 Hz
DEPRESSION	230 mBar	320 mBar – 50 Hz
MAX DEPRESSION	-	320 mBar
SUCTION INLET	Type B 60 mm	Type B 60 mm
DIMENSIONS	90 x 70 h180 cm	90 x 70 h205 cm
WEIGHT	127 Kg	150 Kg
COLLECTION SYSTEM	Barrel	Barrel
COLLECTION CAPACITY	Liquids 200 L / Solids 35 L	Liquids 200 L / Solids 35 L
LONGOPAC	-	-
ELECTRIC FLOATER	Automatic shutdown	Automatic shutdown
FILTER CHAMBER DIAMETER	Ø 460 mm	Ø 460 mm
FILTER TYPE	Cartridge	Cartridge
FILTERING MEDIA AND PROPERTIES	Oleophobic Sponge - Class M Hydro-Oleophobic Cartridge	Oleophobic Sponge - Class M Hydro-Oleophobic Cartridge
FILTER SURFACE	-	-
FILTER CLEANING	-	-
LIQUID EMPTYING	Electric PUMP 220 Lt/min	Electric PUMP 220 Lt/min
FILTER HEPA	-	-
HEPA FILTERING SURFACE	-	-