

TWIN 11 - QUAD 22 ATEX 2-22

MOTORIZATION

Turbine

Centralized vacuum unit with 2 or 4, 5.5 kW side channel turbines, parallel version for higher flow rate or series version for higher vacuum.



Technical specifications

Technical data	UAF TWIN 11P ATEX 2-22	UAF TWIN 11S ATEX 2-22	UAF QUAD 22P ATEX 2-22	UAF QUAD 22S ATEX 2-22
MATERIAL TO VACUUM	-	-	-	-
MOTORIZATION	Turbine	Turbine	Turbine	Turbine
MARKING	-	-	-	-
POWER	2 x 5,5 = 11 kW	2 x 5,5 = 11 kW	4 x 5,5 = 22kW	4 x 5,5 = 22kW
VOLTAGE	400	400	400	400
FREQUENCY	50	50	50	50
AMPERAGE	21	21	42	42
AIR CONSUMPTION	-	-	-	-
AIRFLOW	1040	640	2080	1280
DEPRESSION	250	450	250	450
MAX DEPRESSION	320	539	320	530
SUCTION INLET	ø 90mm	ø 90mm	ø 150mm	ø 150mm
DIMENSIONS	-	-	-	-
WEIGHT	-	-	-	-
COLLECTION SYSTEM	-	-	-	-
COLLECTION CAPACITY	-	-	-	-
LONGOPAC	-	-	-	-
ELECTRIC FLOATER	-	-	-	-
FILTER CHAMBER DIAMETER	-	-	-	-
FILTER TYPE	-	-	-	-
FILTERING MEDIA AND PROPERTIES	-	-	-	-
FILTER SURFACE	-	-	-	-
FILTER CLEANING	-	-	-	-
LIQUID EMPTYING	-	-	-	-
FILTER HEPA	-	-	-	-
HEPA FILTERING SURFACE	-	-	-	-