

## WM 2-10 ACD BASIC



MOTORIZATION

**Nr 2 Collector  
motor**

MATERIAL TO VACUUM

**Dust**

FILTER TYPE

**Star Polyester**

FILTER CLEANING

**Manual Shaking**

Combustible dusts can also be found in areas not classified as ATEX, where the mere absence of classification does not eliminate the risk of ignition. Coynco ACD extractors offer a safe solution even without regulatory requirements. Thanks to their intrinsically safe design and internal Category 1 (Zone 20) certification. WM 220 BASIC is a compact single-phase industrial vacuum cleaner, ideal for dust extraction in production environments and workshops. Equipped with two by-pass motors with 2200 W, it offers an airflow rate of 340 m<sup>3</sup>/h and a vacuum pressure of 230 mBar. The polyester star filter with a surface area of 13,000 cm<sup>2</sup> ensures excellent filtration capacity, complemented by a manual cleaning system for optimal control. Perfect for non-continuous applications, it ensures ease of use thanks to the quick-release 20-liter tank.

## Features



BY-PASS MOTORS  
**Efficient By-pass motors**



ENGINE  
**2 By-pass motors**



FILTRATION  
**Primary stellar polyester filter**

## Technical specifications

| Technical data                 | WM 2-10 ACD BASIC       |
|--------------------------------|-------------------------|
| MATERIAL TO VACUUM             | Dust                    |
| MOTORIZATION                   | Nr 2 Collector motor    |
| MARKING                        | ACD                     |
| POWER                          | 2200 W                  |
| VOLTAGE                        | 230 V                   |
| FREQUENCY                      | 50 / 60 Hz              |
| AMPERAGE                       | 9,6 A                   |
| AIR CONSUMPTION                | -                       |
| AIRFLOW                        | 340 m3/h                |
| DEPRESSION                     | 230 mBar                |
| MAX DEPRESSION                 | -                       |
| SUCTION INLET                  | Type F Cent. 50 mm      |
| DIMENSIONS                     | 52 x 52 x 91 cm         |
| WEIGHT                         | 30                      |
| COLLECTION SYSTEM              | Barrel                  |
| COLLECTION CAPACITY            | Collection bag TNT      |
| LONGOPAC                       | -                       |
| ELECTRIC FLOATER               | No                      |
| FILTER CHAMBER DIAMETER        | Ø 400 mm                |
| FILTER TYPE                    | Star Polyester          |
| FILTERING MEDIA AND PROPERTIES | M Antistatic            |
| FILTER SURFACE                 | 13.000 cm2              |
| FILTER CLEANING                | Manual Shaking          |
| LIQUID EMPTYING                | -                       |
| FILTER HEPA                    | H13 99,95% MPPS 0,12 µm |
| HEPA FILTERING SURFACE         | -                       |