



WM 250 BASIC

MOTORIZATION

**Nr 2 Collector
motor**

MATERIAL TO VACUUM

Dust and liquids

FILTER TYPE

Star Polyester

FILTER CLEANING

Manual Shaking

BASIC WM 250 is the most classic and common single-phase industrial vacuum cleaner. 2 by-pass motors, 50 liter capacity, steel drums and conventional filtration with stellar filter. This model responds to many non-specific applications in the industrial field.

Features



ENGINE
2 By-pass motors



FILTRATION
Secondary Hepa filter optional



EMPTYING
Collection system with 50l barrel

Technical specifications

Technical data	WM 250 L BASIC	WM 250 M BASIC
MATERIAL TO VACUUM	Dust and liquids	Dust and liquids
MOTORIZATION	Nr 2 Collector motor	Nr 2 Collector motor
MARKING	-	-
POWER	2200 W	2200 W
VOLTAGE	230 V	230 V
FREQUENCY	50 / 60 Hz	50 / 60 Hz
AMPERAGE	9,6 A	9,6 A
AIR CONSUMPTION	-	-
AIRFLOW	340 m3/h	340 m3/h
DEPRESSION	230 mBar	230 mBar
MAX DEPRESSION	-	-
SUCTION INLET	Type C Cent. 70 mm	Type C Cent. 70 mm
DIMENSIONS	54x58 h135 cm	54x58 h135 cm
WEIGHT	34	34
COLLECTION SYSTEM	Barrel	Barrel
COLLECTION CAPACITY	50 L	50 L
LONGOPAC	-	-
ELECTRIC FLOATER	Optional	Optional
FILTER CHAMBER DIAMETER	Ø 400 mm	Ø 400 mm
FILTER TYPE	Star Polyester	Star Polyester
FILTERING MEDIA AND PROPERTIES	L Antistatic	M Antistatic
FILTER SURFACE	13.000 cm2	13.000 cm2
FILTER CLEANING	Manual Shaking	Manual Shaking
LIQUID EMPTYING	-	-
FILTER HEPA	Optional H13 with 99,95% MPPS 0,12 µm	Optional H13 with 99,95% MPPS 0,12 µm
HEPA FILTERING SURFACE	-	-